

**DURA**  
LAMP

TRACKLIGHT



LUMINOUS FITTINGS





# Luminous Fittings

## Track mounted fixtures

---



**6**  
ALL-IN-ONE -  
TRACK LIGHT

**PLUS**




**8**  
3 PHASES  
ELECTRICAL  
TRACKS

# TRACKLIGHT

## Three-phase recessed and surface or suspended track

Black or white painted extruded aluminium electrified track.  
A complete range with the accessories you need to complete any track design and have the fixtures right where you need them!





# ALL-IN-ONE Track Light

## Multipower

## Multi beam

## Selectable light colour

PLUS



RA&gt;90

Two multi-power versions with the option of changing colour temperature, both operated by the selector switch located on the track adapter.  
Mechanical zoom for beam variation from 24° to 60°.  
Three-phase track adapter with integrated driver  
Robust die-cast aluminium construction  
Excellent colour rendering  
3-year guarantee

The versatile luminaire that allows extreme flexibility of use, perfect in the retail sector.



Visit the site **duralamp.com**  
to stay updated on all the news  
and on the evolution of our products!

Track mounted fixtures

## ALL-IN-ONE - TRACK LIGHT

**FLICKER  
FREE** 

Providing greater visual comfort,  
improved definition of detail and  
reduction of stress.

Ra >90

Ø80mm


①  
COLOUR TEMPERATURE  
SELECTOR

2700K-3000K-4000K

②  
POWER SELECTOR

③  
ZOOM

24°--> 60°



90°



350°

THE CENTRE OF GRAVITY ALWAYS  
REMAINS IN AXIS WITH THE TRACK  
IRRESPECTIVE OF WHERE THE  
PROJECTOR IS AIMED.

Ø72mm

DISCOVER PERFORMANCE WITH  
DIFFERENT POWER AND BEAM  
OPENINGS:



## Track mounted fixtures

# ALL-IN-ONE - TRACK LIGHT

### TPOLOGY

Professional LED projectors for three phase track mounting. Complete with power selection, colour temperature selection and zoom option for spot or wide beam selection.

One luminaire replaces 27 configurations and solves all spot or wide-beam lighting needs.

Adjustable from 0° to -90° on the vertical plane and 350° on the horizontal plane.

Electronic power supply integrated in the track adapter.

### FEATURES

Two models with 3 selectable powers.

Light colour selector on luminaire body: 2700K-3000K-4000K.

Adjustable 'zoom' optical system for a continuously variable beam from spot 24° to flood 60°.

### INSTALLATION

Mounting on 3 phases electrical tracks; fixtures equipped with a safety lock to fix to the tracks.

### MATERIAL

Die-cast painted aluminium body; black or white colour.


### BEAM

High efficiency Ra>90 LED Chip on Board.

### NOTES

Do not use with dimmer.

The flux data indicated refers to the 4000K colour temperature and 24° beam opening.



<b>PLUS</b>	220-240 Vac	Ra >90		30000 h L70B20	IP20	-25°C +35°C	Risk Group 1		24°-60°	
-------------	-------------	--------	--	----------------	------	-------------	--------------	--	---------	--

## ALL-IN-ONE - TRACK LIGHT - 70

		W	lm	CD	K		PF		H	H1		ART.
New	■	10 15 20	900 1300 1800	2800 4200 5600	2700-3000-4000	24°-60°	0,90	72	210	145	1 / 16	TA70L1CCT-B
New	□	10 15 20	900 1300 1800	2800 4200 5600	2700-3000-4000	24°-60°	0,90	72	210	145	1 / 16	TA70L1CCT-W

## ALL-IN-ONE - TRACK LIGHT - 80

		W	lm	CD	K		PF		H	H1		ART.
New	■	25 30 35	2250 2700 3150	9100 11000 12800	2700-3000-4000	24°-60°	0,90	80	250	185	1 / 12	TA80L2CCT-B
New	□	25 30 35	2250 2700 3150	9100 11000 12800	2700-3000-4000	24°-60°	0,90	80	250	185	1 / 12	TA80L2CCT-W

Track mounted fixtures

## BINARIO TRIFASE




Black or white painted extruded aluminium electrified track.






Track mounted fixtures

## BINARIO TRIFASE



Ceiling fixing distances depending on load

CONTINUITY OF THE EARTHING  
(PLAN VIEW FROM ABOVE)



1= B4012  
L-Joint inner

2= B4011  
L-Joint out

3= B402  
Left live end

4=B4013  
Left T joint



5=B4014  
Right T joint

6=B4017  
X joint



Caution: For correct operation of the track, ensure the continuity of the earthing line between the various elements of the system.

## ELECTRIC DIAGRAMS



## Track mounted fixtures

# 3 PHASES ELECTRICAL TRACKS

### TPOLOGY


3-phase rail in extruded aluminium painted black or white.  
Grey unpainted anodised aluminium finish available on request.

### FEATURES










Recessed or surface/suspension version.  
Ease of use: always observe the earthing line.  
Extensive accessories options to create ever different and surprising track systems: flexible curves, T, L and X elements.  
Allows for 3 differentiated switching.

### POWER SUPPLY










Frequency: 50 Hz.  
Current and voltage rating: L1/L2/L3/N/ground 16A/250V.  
Load on phase: 3.6kVA.  
On the 3 phases: 3X 3.6kVA.




## TRACK FOR SURFACE OR SUSPENSION MOUNTING

		L	L1	H			ART.
New		1030	36	33	1100	1 / 1	B40-1SB
New		1030	36	33	1100	1 / 1	B40-1SW
New		2030	36	33	2300	1 / 1	B40-2SB
New		2030	36	33	2300	1 / 1	B40-2SW
New		3030	36	33	3400	1 / 1	B40-3SB
New		3030	36	33	3400	1 / 1	B40-3SW

## TRACK FOR RECESSED MOUNTING

		L	L1	H			ART.
New		1030	53	33	1300	1 / 1	B40-1RB
New		1030	53	33	1300	1 / 1	B40-1RW
New		2030	53	33	2500	1 / 1	B40-2RB
New		2030	53	33	2500	1 / 1	B40-2RW
New		3030	53	33	3800	1 / 1	B40-3RB
New		3030	53	33	3800	1 / 1	B40-3RW

## DEAD END




				ART.
New		Dead end	1 / 1	B404B
New		Dead end	1 / 1	B404W

## Accessories


# 3 PHASES ELECTRICAL TRACKS

## DEAD END - RECESSED




New		Dead end - recessed	1 / 1		<b>B404RB</b>
New		Dead end - recessed	1 / 1		<b>B404RW</b>

## CEILING MOUNTING BRACKET




New		Ceiling mounting bracket	1 / 1		<b>B40111</b>

## SUPENSION WIRE




New		Mounting systems suspension	60	2000	1 / 1		<b>B40SPB</b>
New		Mounting systems suspension	60	2000	1 / 1		<b>B40SPW</b>

## LATERAL POWER SUPPLY POLARITY ON THE RIGHT




New		Lateral power supply polarity on the right			1 / 1		<b>B401B</b>
New		Lateral power supply polarity on the right			1 / 1		<b>B401W</b>

## LATERAL POWER SUPPLY POLARITY ON THE LEFT




New		Lateral power supply polarity on the left			1 / 1		<b>B402B</b>
New		Lateral power supply polarity on the left			1 / 1		<b>B402W</b>

## POWER SUPPLIES CENTRAL



New		Power supplies central			1 / 1		<b>B4010B</b>
New		Power supplies central			1 / 1		<b>B4010W</b>

## LINEAR CONNECTOR




New		Linear connector			1 / 1		<b>B403B</b>
New		Linear connector			1 / 1		<b>B403W</b>



## Accessories


# 3 PHASES ELECTRICAL TRACKS

### FLEXIBLE CONNECTOR




				ART.
New		Flexible connector	1 / 1	B4018B
New		Flexible connector	1 / 1	B4018W

### "L" JOINT INTERNAL POLARITY




				ART.
New		"L" joint internal polarity	1 / 1	B4011B
New		"L" joint internal polarity	1 / 1	B4011W

### "L" JOINT EXTERNAL POLARITY




				ART.
New		"L" joint external polarity	1 / 1	B4012B
New		"L" joint external polarity	1 / 1	B4012W

### "T" JOINT EXTERNAL POLARITY




				ART.
New		"T" joint external polarity left	1 / 1	B4013B
New		"T" joint external polarity right	1 / 1	B4014B
New		"T" joint external polarity left	1 / 1	B4013W
New		"T" joint external polarity right	1 / 1	B4014W

### "X" JOINT




				ART.
New		"X" joint	1 / 1	B4017B
New		"X" joint	1 / 1	B4017W





### TRACK COVER



				ART.
New		Track cover	1 / 1	B40C1B
New		Track cover	1 / 1	B40C1W

### MECHANICAL ADAPTER FOR SUSPENSION




				ART.
New		With automatic locking, steel wire L. 2000 mm	1 / 1	B40MB
New		With automatic locking, steel wire L. 2000 mm	1 / 1	B40MW

Accessories


# 3 PHASES ELECTRICAL TRACKS

## RECESSED TRACK LINEAR JOINT



		Recessed track linear joint	1 / 1	<b>B40R20B</b>
		Recessed track linear joint	1 / 1	<b>B40R20W</b>

## RIGID SUPPORT BRACKET




		Rigid support bracket	1 / 1	<b>B40123</b>

## TOOL FOR SHEARING CONDUCTORS




		Tool for shearing conductors	1 / 1	<b>B60T</b>
		Tool for shearing conductors, to be used if it's necessary to cut the track during the installation.		

## RECESSED CENTRAL POWER SUPPLY




		Recessed central power supply	1 / 1	<b>B40R10B</b>
		Recessed central power supply	1 / 1	<b>B40R10W</b>

## RECESSED POWER SUPPLY LATERAL POLARITY ON THE RIGHT



		Recessed power supply lateral polarity on the right	1 / 1	<b>B40R1B</b>
		Recessed power supply lateral polarity on the right	1 / 1	<b>B40R1W</b>

## RECESSED POWER SUPPLY LATERAL POLARITY ON THE LEFT



		Recessed power supply lateral polarity on the left	1 / 1	<b>B40R2B</b>
		Recessed power supply lateral polarity on the left	1 / 1	<b>B40R2W</b>



## Index

**DURA**  
LAMP

B40-1RB	10
B40-1RW	10
B40-1SB	10
B40-1SW	10
B40-2RB	10
B40-2RW	10
B40-2SB	10
B40-2SW	10
B40-3RB	10
B40-3RW	10
B40-3SB	10
B40-3SW	10
B4010B	11
B4010W	11
B40111	11
B4011B	12
B4011W	12
B40123	13
B4012B	12

B4012W	12
B4013B	12
B4013W	12
B4014B	12
B4014W	12
B4017B	12
B4017W	12
B4018B	12
B4018W	12
B401B	11
B401W	11
B402B	11
B402W	11
B403B	11
B403W	11
B404B	10
B404RB	11
B404RW	11
B404W	10

B40C1B	12
B40C1W	12
B40MB	12
B40MW	12
B40R10B	13
B40R10W	13
B40R1B	13
B40R1W	13
B40R20B	13
B40R20W	13
B40R2B	13
B40R2W	13
B40SPB	11
B40SPW	11
B60T	13
TA70L1CCT-B	7
TA70L1CCT-W	7
TA80L2CCT-B	7
TA80L2CCT-W	7





## 1. Applicability

1.1 These general conditions (hereafter the "Conditions") constitute an integral and essential part of the contract of sale between the Parties. The Conditions shall regulate all legal relationships between Dura Lamp Srl (hereafter "Dura Lamp") and the purchaser (hereafter the "Purchaser") where the said relationships are not disciplined by the applicable terms of the Italian Civil Code (C.C.). The nullity of any of the terms of these Conditions shall not prejudice the validity of the remaining Conditions or the Contract.

1.2 Any changes to these Conditions shall be agreed between the Parties in writing, with the exception of the provisions set down in article 1341 of the Italian C.C..

## 2. Sales

2.1 Sale requests for the products (hereafter the "Products") shall be accepted 'subject to the seller's approval' and shall be considered to be irrevocable in accordance with and as an effect of article 1329 of the C.C. for a period of 1 (one) month from the date of the order requesting execution without prior acknowledgement, pursuant to and as an effect of article 1327 of the C.C. from the date on which the order is received by Dura Lamp.

2.2 The Products detailed in the individual orders and the relevant accessories shall be supplied to the Purchaser by Dura Lamp with "Retention of Title" pursuant to and as an effect of articles 1523-1526 of the Italian C.C. In this case, the transfer of ownership of the Products to the Purchaser shall take place exclusively upon the full payment of the price agreed, whilst any risks shall be the responsibility of the Purchaser from the moment of delivery of the Products.

2.3 Whilst confirming the terms stated above, the Parties hereby agree that should the Products and relevant accessories be destroyed for causes not attributable to Dura Lamp, the Purchaser shall not be released from the obligation to pay for the same, even where the Products have not yet been delivered.

## 3. Prices

3.1 The prices detailed on the price list shall be applied to Product sales orders. The aforementioned prices shall be unit prices per single item, except where stated otherwise for certain Products. The Parties shall have the right to agree, in writing, any derogations and/or special conditions of sale.

3.2 Moreover, the Parties hereby agree that the following conditions shall be applied:

- (I) Minimum order: € 300 (three hundred) for Italy - € 750 (seven hundred and fifty) for other countries;
- (II) Delivery free to destination in Italy for orders of € 300 (three hundred) for Italy or more;
- (III) Ex-Works deliveries for other countries.

3.3 The prices given above do not include VAT and installation costs.

3.4 The prices provided in this catalogue shall be valid until a new price list is published.

## 4. Currency

All prices are given in Euros (exclusive of VAT). Invoices shall be drawn up in Euros.

## 5. Special requests

Products can be supplied to the Purchaser in non-standard colours and with special features. The relevant price, minimum quantities per order, methods and timing of deliveries shall be agreed in each individual case, in relation to the reference order.

## 6. Transport

6.1 Dura Lamp shall not be liable for any damage and/or losses which may occur during the transportation of the Products, unless the Products are delivered free at destination.

6.2 Dura Lamp shall have the right to establish the method of transportation to be used for the Products, unless the Parties have previously established a method of transport in writing.

6.3 Upon delivery, the Purchaser shall undertake to verify the condition of the products and shall make any complaints directly to the carrier and/or conduct any actions necessary in the event of loss, misplacement, removal or damage, or delays in transportation and/or the methods of delivery of the Products.

## 7. Complaints

7.1 In the event that the Products are found to have any faults and/or defects, the Purchaser shall undertake to notify Dura Lamp of the same in writing, by means of a registered letter, no later than 8 (eight) days following the discovery of the said faults and/or defects, at the risk of invalidating the obligations of the guarantee provided by Dura Lamp. In this case, the faulty Products, which should be reported within the terms established, should be returned to Dura Lamp, once the Purchaser has received specific permission to do so in writing.

7.2 In the event that the Purchaser's complaints are held to be valid, Dura Lamp, at its complete discretion, may make the necessary repairs and/or replace the Products, excluding the attribution of any further charges, obligations, indemnification or compensation to the same. The Products in question should be returned to the Dura Lamp Srl plant in Via Pratese 164, 50145, Firenze, Italy. In the event that, following an inspection by Dura Lamp, the Products returned by the Purchaser are not found to be faulty and/or defective, Dura Lamp shall return the Products to the Purchaser, charging the same an amount equal to 15% (fifteen percent) of the value of the said Products.

## 8. Delivery

8.1 The Parties hereby agree that the terms established for the delivery of the Products shall not be considered absolute or essential and that, in any case, each item shall be exclusively in favor of Dura Lamp, unless otherwise agreed in writing between the Parties.

8.2 In the event of delayed delivery, once 15 (fifteen) days have passed since the agreed date, the Purchaser may send Dura Lamp written warning to complete the delivery within a further term of no more than 15 (fifteen) days from receipt of the same. In the event that Dura Lamp has not completed the delivery within this further term the Purchaser may withdraw from the order with regard to the Products that have not yet been delivered. In this case the Purchaser shall only be obliged to pay Dura Lamp for the Products actually delivered, excluding the payment of any further indemnification and/or compensation to the Purchaser.

8.3 Dura Lamp shall not be responsible for any other breaches, including the failure to deliver or delayed delivery of the Products, caused by events outside its reasonable control such as, purely by way of an example and not limited to the same: the failure to deliver or delayed delivery of manufacturing materials by Dura Lamp's suppliers, equipment breakdowns, strikes and other trade union action, electricity blackouts, suspension of or difficulties with transportation.

## 9. Payment

9.1 The price due shall be paid by the Purchaser according to the conditions and modalities set down in the order and, in any case, by means of payments made exclusively to "DURA LAMP Srl".

9.2 Dura Lamp shall only recognize the validity of the payments when the same are made in compliance with the provisions of article 9.1 above. This means that amounts paid using any other method shall not be considered to be a payment in discharge of the Purchaser's obligations. The eventual acceptance by Dura Lamp of a bank draft or other trade bill shall only occur with the application of the proviso "under usual reserve".

9.3 In the event of delayed payment with respect to the terms agreed, the Parties hereby agree that bank interest shall be due to Dura Lamp at the current PRIME RATE increased by 3 points. interest shall be applied as of right, with no obligation for Dura Lamp to send the Purchaser a formal notice to pay.

9.4 Moreover, in the event of a delay in payment of more than 15 (fifteen) days, Dura Lamp shall have the right to terminate the order as of right pursuant to article 1456 C.C., sending written notification of the same, barring compensation for any damage.

9.5 In the event that the Parties have agreed upon a method of payment by instalments for the Products, the failure to pay several instalments or just one instalment exceeding one eighth of the overall price of the Products, shall result in the loss of the Purchaser's right to pay in instalments and shall give Dura Lamp the right to request the remaining balance of the price or, alternatively, at its own discretion, to terminate the contract with immediate return of the Products and the acquisition of the instalments paid, as indemnification, barring the right to compensation for any damage sustained.

## 10. Guarantee

10.1 The Products provided by Dura Lamp shall be guaranteed for a period of 12 (twelve) months from the date of delivery against any manufacturing or material defects and/or faults and against any breakdowns not attributable to the Purchaser. Dura Lamp's only obligation and the Purchaser's right with regard to claims related to the guarantee shall be limited, as decided by Dura Lamp, to the replacement or repair of the defective or non-compliant product or the reimbursement of the price for the purchase of another product. Dura Lamp shall be granted a reasonable amount of time to repair or replace the product, or to make the previously authorized reimbursement. Any defective or non-compliant Products shall become the property of Dura Lamp as soon as they have been replaced or reimbursed.

10.2 The guarantee shall exclude any failures due to circumstances beyond the control of Dura Lamp (lightning, flooding, etc.), as well as any damage caused by the improper use of the Products and/or relevant accessories. Notwithstanding the above, Dura Lamp shall not be bound by the guarantee if the contested defects or non-compliances have occurred as a result of submitting the Products to resistance or environmental tests, the incorrect use of the same, or in the event that the use of or conditions of use of the Products is different from that indicated in the instructions and technical information, as a result of negligence, incorrect installation or accident, or if they derive from improper repairs, alterations, modifications, storage or transportation or by incorrect handling.

10.3 The Purchaser shall send the Products returned in accordance with the terms of the guarantee to the place indicated by Dura Lamp in compliance with the Dura Lamp policy regarding authorization to return materials in force at the time. In the event that the Products returned are found to be compliant or not faulty, the Purchaser shall pay the cost of returning the same as well as the cost of insuring, inspecting and handling the Products.

10.4 LED products Enjoy specific guarantees: details are published on [www.duralamp.com](http://www.duralamp.com)

## 11. Limitation of Liability

11.1 With the sole exclusion of criminal intent and gross negligence, Dura Lamp shall not be liable for loss of profits or savings, loss of reputation or goodwill, any direct, indirect, consequential or special damage that may derive from or be connected to the contract or sale of products or services by Dura Lamp or by the use of the same of a contractual or extra-contractual nature or deriving from any other source, even where Dura Lamp has been notified of or is aware of the possibility of such damage.

11.2 The limitations and exclusions stated in article 11 shall apply within the limits permitted by law.

## 12. Applicable law and place of jurisdiction

12.1 These Conditions and all the effects of the same shall be governed by Italian law. The Parties hereby agree that any disputes related to these Conditions shall refer to Italian jurisdiction to the exclusion of all others.

12.2 The exclusive place of jurisdiction shall be the registered offices of Dura Lamp Srl, with the express exclusion of any other competing places of jurisdiction.



DURA LAMP S.r.l.  
Registered office Via Pratese, 164 – 50145 Firenze  
Tel. 055 894 881  
e-mail: duralamp@duralamp.it

Registered with the Florence Company Register -  
C.F. and VAT number 03312240488  
Registered with R.E.A. of Florence at n. 353287 Share capital € 400,000.00 i.v.  
Subject to the management and coordination of 3F FILIPPI Srl



A complete list of the Dura Lamp distribution  
and project network is available at:

[www.duralamp.com](http://www.duralamp.com)

**DURALAMP | UNICO Catalogue 24/25**

© Copyright 2024 - Dura Lamp S.r.l.

All data and pictures provided in this catalogue are for reference only: since they might change during mass production, they have to be considered nominal values with tolerances. Dura Lamp reserves the right to modify its products in any moment, for technical or commercial reasons.

Photos: Ivan Rossi - Studio Artale - Studio Ceccanti - Alessandro Maurelli - Luca Visentini

Graphic project: Lorenzetti Communication and FD Graphic Studio

Indoor or outdoor setting photos are used to illustrate the possible applications of the product.







[duralamp.com](http://duralamp.com)