



MULTI GU10LL

Typology

New generation LED lamps with COB technology.

Features

Lamps built to achieve a particularly long life: 50,000h, especially required in public or premium projects.

The lens is specially designed to obtain directionality of light, a clean beam and lower glare effect.

Material

Thermally conductive compartment for housing the electronic components: optimization of heat dissipation and greater safety for the user.

Notes


Do not use with dimmer.



Characteristic data

Power	4.5 W	Beam	38°	Dimmable	No	Input	220-240 Vac
Base	GU10	IP	20	Flux	700 lm	Tc	4000 K
Ra	>80	LED Warranty	G5h24	Axis	950 cd		

Dimensional characteristics



Ø	50 mm
H	55 mm

Lighting and photometric features

Beam opening	38°
Flux	700 lm
CCT nominal colour temperature	4000 K
Colour of the light	Natural light
Colour rendering index	>80
Lifespan	50000 h
LED lifespan	L70B50
Trigger time	<0,2 s
Heating time up to 60% of full efficiency	Instant Full Light
Mercury	0 mg

Electrical characteristics

Rated power	4.5 W
Input voltage	220-240 Vac
Frequency	50 Hz
Dimmable	No
Weighted energy consumption	5 kWh/1000h
Energy efficiency class	D
Operating temperature	-25°C / +35°C
Operating position	360°

Photometry

--

Logistics data

Item net weight	70 gr
Barcode single item	8011905979928
Number of pieces multiple pack	10
Minimum order quantity	10
Minimum packaging	10 / 10