

DURA
LAMP

PROJECTORS
STREET LIGHT



LUMINOUS FITTINGS





Luminous Fittings

Projectors



4 **PLUS**
PANTH - SL2



6 **BASIC**
PANTH ST



10 **PRO**
PANTH H1



12 **PRO**
PANTH H2 CCT

Street Light



14 **PRO**
URBAN 01

Projectors

PANTH - SL2



200W

150W

100W



THE 200W MODEL CAN ALSO BE USED AS A HIGH BAY:
400 LUX AT 5 METRES HEIGHT.



Download photometries
www.duralamp.com

REAL LUMENS

Luminous Flux Data is REAL. Values are measured on actual use conditions.
Nominal values of the LED source are not stated.

Projectors

PANTH - SL2

TPOLOGY

LED projector for outdoor, indoor and construction site application.

FEATURES


Compact dimensions: easy to use and handle.
Equipped with fixing bracket, adjustable on the vertical axis.
It can be connected to motion or twilight sensors.

MATERIAL

Grey painted pressed metal body.
Completely sealed IP65 driver.

NOTES

Do not use with dimmer.
Free wire for professional use (1 m long).



PLUS	220-240 Vac	Ra >80		40000 h L70B20	IP65	IK08	-25°C +35°C	Risk Group 1		 60°x100°	
-------------	-------------	--------	--	----------------	------	------	-------------	--------------	--	---	--

W	lm	CD	K		PF	L	L1	H			ART.
100	11000	5380	4000	60°x100°	0,96	300	325	92.5	1640	1 / 5	PANTH-SL1002
150	13500	6780	4000	60°x100°	0,97	360	377	95.5	2700	1 / 5	PANTH-SL1502
200	20000	10600	4000	60°x100°	0,97	360	480	216	4100	1 / 2	PANTH-SL2002






10W



20W



30W




Download photometries
www.duralamp.com

REAL LUMENS

Luminous Flux Data is REAL. Values are measured on actual use conditions.
Nominal values of the LED source are not stated.

**FLICKER
FREE** 

Providing greater visual comfort,
improved definition of detail and
reduction of stress.






10W



20W



30W



High power items are equipped with a GORE-TEX® valve to compensate for pressure variations due to thermal changes and to prevent the formation of condensation in the fixture.

Projectors

PANTH ST

TPOLOGY

LED projector "minimal design" for outdoor and indoor applications.

FEATURES

It can be connected to motion or twilight sensors.
 Very small dimensions and design that meets the most demanding aesthetic requirements.
 Supplied with an orientable mounting bracket.

MATERIAL


Painted die-cast metal body.

BEAM

120°

NOTES

Do not use with dimmer.
 Free wire for professional use (30 cm long up to 50W and 95 cm for higher powers).



BASIC 220-240 Vac Ra >80 20000 h L70B30 IP65 -25°C +35°C Risk Group 1 120° G3

PANTH ST WHITE

W	lm	CD	K	▲	PF	L	L1	H	🛍️	📦	ART.
10	800	350	4000	120°	0,90	103	26	83	200	5 / 30	PANTH-STWH10N
10	800	350	6500	120°	0,90	103	26	83	200	5 / 30	PANTH-STWH10C
20	1600	650	4000	120°	0,90	121	26	95	320	5 / 20	PANTH-STWH20N
20	1600	650	6500	120°	0,90	121	26	95	320	5 / 20	PANTH-STWH20C
30	2400	950	4000	120°	0,90	160	30	123	400	5 / 20	PANTH-STWH30N
30	2400	950	6500	120°	0,90	160	30	123	400	5 / 20	PANTH-STWH30C
50	4000	1500	4000	120°	0,90	206	31.5	160	870	1 / 10	PANTH-STWH50N
50	4000	1500	6500	120°	0,90	206	31.5	160	870	1 / 10	PANTH-STWH50C
100	8000	3400	4000	120°	0,90	270	35	210	1240	1 / 10	PANTH-STWH100N
100	8000	3400	6500	120°	0,90	270	35	210	1240	1 / 10	PANTH-STWH100C
150	12000	5100	4000	120°	0,90	330	35	250	2060	1 / 5	PANTH-STWH150N
150	12000	5100	6500	120°	0,90	330	35	250	2060	1 / 5	PANTH-STWH150C
200	16000	6800	4000	120°	0,90	388	36	288	2977	1 / 5	PANTH-STWH200N
200	16000	6800	6500	120°	0,90	388	36	288	2977	1 / 5	PANTH-STWH200C
250	25000	8800	4000	120°	0,90	445	45.5	334	4615	1 / 4	PANTH-STWH250N
250	25000	8800	6500	120°	0,90	445	45.5	334	4615	1 / 4	PANTH-STWH250C
350	35000	12000	4000	120°	0,90	490	49	370	6000	1 / 2	PANTH-STWH350N
350	35000	12000	6500	120°	0,90	490	49	370	6000	1 / 2	PANTH-STWH350C

Projectors
PANTH ST

PANTH ST BLACK

W	lm	CD	K		PF	L	L1	H			ART.
10	800	320	3000	120°	0,90	103	26	83	200	5 / 30	PANTH-ST10W
10	850	340	4000	120°	0,90	103	26	83	200	5 / 30	PANTH-ST10N
10	850	340	6500	120°	0,90	103	26	83	200	5 / 30	PANTH-ST10C
20	1600	600	3000	120°	0,90	121	26	95	320	5 / 20	PANTH-ST20W
20	1600	660	4000	120°	0,90	121	26	95	320	5 / 20	PANTH-ST20N
20	1600	660	6500	120°	0,90	121	26	95	320	5 / 20	PANTH-ST20C
30	2400	890	3000	120°	0,90	160	30	123	610	5 / 20	PANTH-ST30W
30	2400	950	4000	120°	0,90	160	30	123	610	5 / 20	PANTH-ST30N
30	2400	950	6500	120°	0,90	160	30	123	610	5 / 20	PANTH-ST30C
50	4000	1400	3000	120°	0,90	226	31.5	160	870	1 / 10	PANTH-ST50W
50	4000	1540	4000	120°	0,90	226	31.5	160	870	1 / 10	PANTH-ST50N
50	4000	1540	6500	120°	0,90	226	31.5	160	870	1 / 10	PANTH-ST50C
100	8000	3100	3000	120°	0,90	270	35	210	1240	1 / 10	PANTH-ST100W
100	8000	3300	4000	120°	0,90	270	35	210	1240	1 / 10	PANTH-ST100N
100	8000	3300	6500	120°	0,90	270	35	210	1240	1 / 10	PANTH-ST100C
150	12000	4700	3000	120°	0,90	330	35	250	2060	1 / 5	PANTH-ST150W
150	12000	5000	4000	120°	0,90	330	35	250	2060	1 / 5	PANTH-ST150N
150	12000	5000	6500	120°	0,90	330	35	250	2060	1 / 5	PANTH-ST150C
200	16000	6510	4000	120°	0,90	388	36	288	2920	1 / 5	PANTH-ST200N
200	16000	6510	6500	120°	0,90	388	36	288	2920	1 / 5	PANTH-ST200C
250	22000	8200	3000	120°	0,90	445	45.5	334	4270	1 / 4	PANTH-ST250W
250	25000	8200	4000	120°	0,90	445	45.5	334	4270	1 / 4	PANTH-ST250N
250	25000	8200	6500	120°	0,90	445	45.5	334	4270	1 / 4	PANTH-ST250C
350	35000	11000	4000	120°	0,90	490	49	370	6000	1 / 2	PANTH-ST350N
350	35000	11000	6500	120°	0,90	490	49	370	6000	1 / 2	PANTH-ST350C

Projectors
PANTH H1

FLICKER FREE 


Providing greater visual comfort, improved definition of detail and reduction of stress.



**SUPER-COMPACT
HIGH EFFICIENCY
UP TO 30.000 LUMEN**



**SENSOR VERSION:
FOR SAFETY AND ENERGY SAVING**



ADJUSTABLE AMBIENT LIGHTING



REAL LUMENS

Luminous Flux Data is REAL. Values are measured on actual use conditions. Nominal values of the LED source are not stated.

Projectors **PANTH H1**

TPOLOGY

Super-compact professional projectors for large commercial and industrial spaces; uses highly efficient SMD technology, up to 175lm/W.

FEATURES

Ultra-flat, highly efficient, long service life: reliable products for use in all areas where powerful light output with significant energy savings is required.

Equipped with voltage surge protection, see details.

Free wire for professional use (30 cm long up to 24W and 95 cm for higher powers).

INSTALLATION

Free-standing or fixed to the surface with its swivelling bracket.


MATERIAL

Die-cast aluminium body.

Suitable for use in dusty and humid environments due to its high IP rating.

BEAM

Symmetrical beam angle: 110°.



PRO	220-240 Vac	Ra 80		50000 h L70B20	IP65	IK04	-25°C +35°C	Risk Group 1		110°	
------------	-------------	-------	---	----------------	------	------	----------------	--------------	---	------	---

PANTH H1

	W	Im	CD	K		PF	L	L1	H			ART.
■	24	3900	1450	3000	110°	0.5	145	105	29	324	1 / 20	PAH1L04BLW
■	24	4200	1540	4000	110°	0.5	145	105	29	324	1 / 20	PAH1L04BLN
■	24	4100	1500	6000	110°	0.5	145	105	29	324	1 / 20	PAH1L04BLC
■	60	9900	3550	3000	110°	0.95	225	155	35	771	1 / 10	PAH1L10BLW
■	60	10500	3750	4000	110°	0.95	225	155	35	771	1 / 10	PAH1L10BLN
■	60	10200	3640	6000	110°	0.95	225	155	35	771	1 / 10	PAH1L10BLC
■	120	20000	7100	3000	110°	0.95	305	220	35	1608	1 / 10	PAH1L20BLW
■	120	20500	7520	4000	110°	0.95	305	220	35	1608	1 / 10	PAH1L20BLN
■	120	21000	7340	6000	110°	0.95	305	220	35	1608	1 / 10	PAH1L20BLC
■	165	28500	10000	3000	110°	0.95	355	260	36	2217	1 / 5	PAH1L30BLW
■	165	31000	11120	4000	110°	0.95	355	260	36	2217	1 / 5	PAH1L30BLN
■	165	30000	10840	6000	110°	0.95	355	260	36	2217	1 / 5	PAH1L30BLC

PANTH H1 - SENSOR

	W	Im	CD	K		PF	L	L1	H			ART.
□	15	2600	980	4000	110°	0.55	115	82	27	259	1 / 20	PAH1L03WHNS
■	15	2600	980	4000	110°	0.55	115	82	27	259	1 / 20	PAH1L03BLNS
□	40	7000	2570	4000	110°	0.95	190	125	29	572	1 / 10	PAH1L07WHNS
■	40	7000	2500	4000	110°	0.95	190	125	29	572	1 / 10	PAH1L07BLNS

Projectors

PANTH H2 CCT

FLICKER FREE 

Providing greater visual comfort, improved definition of detail and reduction of stress.



200W



150W



100W

Angle indication



angle arrow

Flat head hex socket screw



SWITCH



High power items are equipped with a GORE-TEX® valve to compensate for pressure variations due to thermal changes and to prevent the formation of condensation in the fixture.



POLE BRACKET



Download photometries
www.duralamp.com

REAL LUMENS

Luminous Flux Data is REAL. Values are measured on actual use conditions. Nominal values of the LED source are not stated.

Projectors

PANTH H2 CCT

TPOLOGY

Super-compact professional projectors for large commercial and industrial spaces; uses highly efficient SMD technology, up to 140lm/W. Very versatile thanks to the colour temperature selector switch: 3000K-5000K.

FEATURES

Ultra-flat, highly efficient, long service life: reliable products for use in all areas where powerful light output with significant energy savings is required.

Equipped with 4/6kV voltage surge protection.

Version with 6/6kV surcharge and provision for use in a centralised power supply system for emergency lighting available on request.

INSTALLATION

Free-standing or fixed to the surface with its swivelling bracket. Available as accessories: reinforced bracket with tilt control and bracket for mounting on pole head or wall arm (diam. 60).


MATERIAL

Die-cast aluminium body.

Suitable for use in dusty and humid environments due to IP65 rating.

NOTES

The flux data indicated refers to the 4000K colour temperature.



PRO	220-240 Vac	Ra 80		50000 h L70B20	IP65	IK08	-15°C +35°C	 55°x65°	
------------	-------------	-------	---	----------------	------	------	----------------	---	---

	W	lm	CD	K		PF	L	L1	H			ART.
New	100	14000	10500	3000-5000	55°x65°	0,9	293	59	289	2200	1 / 4	PAH2L16CCT
New	150	21000	14600	3000-5000	55°x65°	0,9	325	59	345	3000	1 / 1	PAH2L24CCT
New	200	28000	19500	3000-5000	55°x65°	0,9	359	59	346	4000	1 / 1	PAH2L32CCT

SUPPORT FOR PANTH H2



New	Support for PANTH H2		ART.
	Support for mounting the luminaire on poles or wall arms.	1 / 10	KTPAH2-T

STREET LIGHT
URBAN 01

**FLICKER
FREE** 

Providing greater visual comfort,
improved definition of detail and
reduction of stress.




150W



70W



30W



90°

Ø 60mm



Download photometries
www.duralamp.com

REAL LUMENS

Luminous Flux Data is REAL. Values are measured on actual use conditions.
Nominal values of the LED source are not stated.

STREET LIGHT URBAN 01

TYOLOGY

Urban 01 street lights are the solution for residential lighting. Perfect for tree-lined avenues, gardens, car parks and outdoor residential and commercial areas. IP65.

FEATURES


With an efficiency of 160 lm/W, they offer an operating saving of 90% (without taking into account the reduced need for technical intervention) compared to older discharge lamp systems, pay for themselves in a short time and provide effective, long-lasting and flicker-free lighting.

INSTALLATION

Can be used on standard 60 mm poles and wall arms. Rotation joint up to 90 degrees. Equipped with 6kV overvoltage protection.

MATERIAL

Die-cast aluminium body with epoxy paint finish. Transparent polycarbonate screen with high light transmission and diffusion.



PRO	100-240 Vac	Ra 70		50000 h L70B20	IP65	IK06	-25°C +40°C	Risk Group 1		
------------	-------------	-------	---	----------------	------	------	----------------	--------------	---	---

URBAN 01 - S

New

W	lm	CD	K	PF	L	L1	H			ART.
30	4800	1500	4000	0.91	138	105	416	850	1 / 1	UR01L10740

URBAN 01 - M

New

W	lm	CD	K	PF	L	L1	H			ART.
70	11200	3700	4000	0.95	149	105	470	1020	1 / 1	UR01L20740

URBAN 01 - L

New

W	lm	CD	K	PF	L	L1	H			ART.
150	24000	7900	4000	0.95	203	105	633	1900	1 / 1	UR01L30740



Index



KTPAH2-T	13	PANTH-ST100C	9	PANTH-ST50N	9
PAH1L03BLNS	11	PANTH-ST100N	9	PANTH-ST50W	9
PAH1L03WHNS	11	PANTH-ST100W	9	PANTH-STWH100C	8
PAH1L04BLC	11	PANTH-ST10C	9	PANTH-STWH100N	8
PAH1L04BLN	11	PANTH-ST10N	9	PANTH-STWH10C	8
PAH1L04BLW	11	PANTH-ST10W	9	PANTH-STWH10N	8
PAH1L07BLNS	11	PANTH-ST150C	9	PANTH-STWH150C	8
PAH1L07WHNS	11	PANTH-ST150N	9	PANTH-STWH150N	8
PAH1L10BLC	11	PANTH-ST150W	9	PANTH-STWH200C	8
PAH1L10BLN	11	PANTH-ST200C	9	PANTH-STWH200N	8
PAH1L10BLW	11	PANTH-ST200N	9	PANTH-STWH20C	8
PAH1L20BLC	11	PANTH-ST20C	9	PANTH-STWH20N	8
PAH1L20BLN	11	PANTH-ST20N	9	PANTH-STWH250C	8
PAH1L20BLW	11	PANTH-ST20W	9	PANTH-STWH250N	8
PAH1L30BLC	11	PANTH-ST250C	9	PANTH-STWH30C	8
PAH1L30BLN	11	PANTH-ST250N	9	PANTH-STWH30N	8
PAH1L30BLW	11	PANTH-ST250W	9	PANTH-STWH350C	8
PAH2L16CCT	13	PANTH-ST30C	9	PANTH-STWH350N	8
PAH2L24CCT	13	PANTH-ST30N	9	PANTH-STWH50C	8
PAH2L32CCT	13	PANTH-ST30W	9	PANTH-STWH50N	8
PANTH-SL1002	5	PANTH-ST350C	9	UR01L10740	15
PANTH-SL1502	5	PANTH-ST350N	9	UR01L20740	15
PANTH-SL2002	5	PANTH-ST50C	9	UR01L30740	15



1. Applicability

1.1 These general conditions (hereafter the "Conditions") constitute an integral and essential part of the contract of sale between the Parties. The Conditions shall regulate all legal relationships between Dura Lamp Srl (hereafter "Dura Lamp") and the purchaser (hereafter the "Purchaser") where the said relationships are not disciplined by the applicable terms of the Italian Civil Code (C.C.). The nullity of any of the terms of these Conditions shall not prejudice the validity of the remaining Conditions or the Contract.

1.2 Any changes to these Conditions shall be agreed between the Parties in writing, with the exception of the provisions set down in article 1341 of the Italian C.C..

2. Sales

2.1 Sale requests for the products (hereafter the "Products") shall be accepted 'subject to the seller's approval' and shall be considered to be irrevocable in accordance with and as an effect of article 1329 of the C.C. for a period of 1 (one) month from the date of the order requesting execution without prior acknowledgement, pursuant to and as an effect of article 1327 of the C.C. from the date on which the order is received by Dura Lamp.

2.2 The Products detailed in the individual orders and the relevant accessories shall be supplied to the Purchaser by Dura Lamp with "Retention of Title" pursuant to and as an effect of articles 1523-1526 of the Italian C.C. In this case, the transfer of ownership of the Products to the Purchaser shall take place exclusively upon the full payment of the price agreed, whilst any risks shall be the responsibility of the Purchaser from the moment of delivery of the Products.

2.3 Whilst confirming the terms stated above, the Parties hereby agree that should the Products and relevant accessories be destroyed for causes not attributable to Dura Lamp, the Purchaser shall not be released from the obligation to pay for the same, even where the Products have not yet been delivered.

3. Prices

3.1 The prices detailed on the price list shall be applied to Product sales orders. The aforementioned prices shall be unit prices per single item, except where stated otherwise for certain Products. The Parties shall have the right to agree, in writing, any derogations and/or special conditions of sale.

3.2 Moreover, the Parties hereby agree that the following conditions shall be applied:

- (I) Minimum order: € 300 (three hundred) for Italy - € 750 (seven hundred and fifty) for other countries;
- (II) Delivery free to destination in Italy for orders of € 300 (three hundred) for Italy or more;
- (III) Ex-Works deliveries for other countries.

3.3 The prices given above do not include VAT and installation costs.

3.4 The prices provided in this catalogue shall be valid until a new price list is published.

4. Currency

All prices are given in Euros (exclusive of VAT). Invoices shall be drawn up in Euros.

5. Special requests

Products can be supplied to the Purchaser in non-standard colours and with special features. The relevant price, minimum quantities per order, methods and timing of deliveries shall be agreed in each individual case, in relation to the reference order.

6. Transport

6.1 Dura Lamp shall not be liable for any damage and/or losses which may occur during the transportation of the Products, unless the Products are delivered free at destination.

6.2 Dura Lamp shall have the right to establish the method of transportation to be used for the Products, unless the Parties have previously established a method of transport in writing.

6.3 Upon delivery, the Purchaser shall undertake to verify the condition of the products and shall make any complaints directly to the carrier and/or conduct any actions necessary in the event of loss, misplacement, removal or damage, or delays in transportation and/or the methods of delivery of the Products.

7. Complaints

7.1 In the event that the Products are found to have any faults and/or defects, the Purchaser shall undertake to notify Dura Lamp of the same in writing, by means of a registered letter, no later than 8 (eight) days following the discovery of the said faults and/or defects, at the risk of invalidating the obligations of the guarantee provided by Dura Lamp. In this case, the faulty Products, which should be reported within the terms established, should be returned to Dura Lamp, once the Purchaser has received specific permission to do so in writing.

7.2 In the event that the Purchaser's complaints are held to be valid, Dura Lamp, at its complete discretion, may make the necessary repairs and/or replace the Products, excluding the attribution of any further charges, obligations, indemnification or compensation to the same. The Products in question should be returned to the Dura Lamp Srl plant in Via Pratese 164, 50145, Firenze, Italy. In the event that, following an inspection by Dura Lamp, the Products returned by the Purchaser are not found to be faulty and/or defective, Dura Lamp shall return the Products to the Purchaser, charging the same an amount equal to 15% (fifteen percent) of the value of the said Products.

8. Delivery

8.1 The Parties hereby agree that the terms established for the delivery of the Products shall not be considered absolute or essential and that, in any case, each item shall be exclusively in favor of Dura Lamp, unless otherwise agreed in writing between the Parties.

8.2 In the event of delayed delivery, once 15 (fifteen) days have passed since the agreed date, the Purchaser may send Dura Lamp written warning to complete the delivery within a further term of no more than 15 (fifteen) days from receipt of the same. In the event that Dura Lamp has not completed the delivery within this further term the Purchaser may withdraw from the order with regard to the Products that have not yet been delivered. In this case the Purchaser shall only be obliged to pay Dura Lamp for the Products actually delivered, excluding the payment of any further indemnification and/or compensation to the Purchaser.

8.3 Dura Lamp shall not be responsible for any other breaches, including the failure to deliver or delayed delivery of the Products, caused by events outside its reasonable control such as, purely by way of an example and not limited to the same: the failure to deliver or delayed delivery of manufacturing materials by Dura Lamp's suppliers, equipment breakdowns, strikes and other trade union action, electricity blackouts, suspension of or difficulties with transportation.

9. Payment

9.1 The price due shall be paid by the Purchaser according to the conditions and modalities set down in the order and, in any case, by means of payments made exclusively to "DURA LAMP Srl".

9.2 Dura Lamp shall only recognize the validity of the payments when the same are made in compliance with the provisions of article 9.1 above. This means that amounts paid using any other method shall not be considered to be a payment in discharge of the Purchaser's obligations. The eventual acceptance by Dura Lamp of a bank draft or other trade bill shall only occur with the application of the proviso "under usual reserve".

9.3 In the event of delayed payment with respect to the terms agreed, the Parties hereby agree that bank interest shall be due to Dura Lamp at the current PRIME RATE increased by 3 points. Interest shall be applied as of right, with no obligation for Dura Lamp to send the Purchaser a formal notice to pay.

9.4 Moreover, in the event of a delay in payment of more than 15 (fifteen) days, Dura Lamp shall have the right to terminate the order as of right pursuant to article 1456 C.C., sending written notification of the same, barring compensation for any damage.

9.5 In the event that the Parties have agreed upon a method of payment by instalments for the Products, the failure to pay several instalments or just one instalment exceeding one eighth of the overall price of the Products, shall result in the loss of the Purchaser's right to pay in instalments and shall give Dura Lamp the right to request the remaining balance of the price or, alternatively, at its own discretion, to terminate the contract with immediate return of the Products and the acquisition of the instalments paid, as indemnification, barring the right to compensation for any damage sustained.

10. Guarantee

10.1 The Products provided by Dura Lamp shall be guaranteed for a period of 12 (twelve) months from the date of delivery against any manufacturing or material defects and/or faults and against any breakdowns not attributable to the Purchaser. Dura Lamp's only obligation and the Purchaser's right with regard to claims related to the guarantee shall be limited, as decided by Dura Lamp, to the replacement or repair of the defective or non-compliant product or the reimbursement of the price for the purchase of another product. Dura Lamp shall be granted a reasonable amount of time to repair or replace the product, or to make the previously authorized reimbursement. Any defective or non-compliant Products shall become the property of Dura Lamp as soon as they have been replaced or reimbursed.

10.2 The guarantee shall exclude any failures due to circumstances beyond the control of Dura Lamp (lightning, flooding, etc.), as well as any damage caused by the improper use of the Products and/or relevant accessories. Notwithstanding the above, Dura Lamp shall not be bound by the guarantee if the contested defects or non-compliances have occurred as a result of submitting the Products to resistance or environmental tests, the incorrect use of the same, or in the event that the use of or conditions of use of the Products is different from that indicated in the instructions and technical information, as a result of negligence, incorrect installation or accident, or if they derive from improper repairs, alterations, modifications, storage or transportation or by incorrect handling.

10.3 The Purchaser shall send the Products returned in accordance with the terms of the guarantee to the place indicated by Dura Lamp in compliance with the Dura Lamp policy regarding authorization to return materials in force at the time. In the event that the Products returned are found to be compliant or not faulty, the Purchaser shall pay the cost of returning the same as well as the cost of insuring, inspecting and handling the Products.

10.4 LED products Enjoy specific guarantees: details are published on www.duralamp.com

11. Limitation of Liability

11.1 With the sole exclusion of criminal intent and gross negligence, Dura Lamp shall not be liable for loss of profits or savings, loss of reputation or goodwill, any direct, indirect, consequential or special damage that may derive from or be connected to the contract or sale of products or services by Dura Lamp or by the use of the same of a contractual or extra-contractual nature or deriving from any other source, even where Dura Lamp has been notified of or is aware of the possibility of such damage.

11.2 The limitations and exclusions stated in article 11 shall apply within the limits permitted by law.

12. Applicable law and place of jurisdiction

12.1 These Conditions and all the effects of the same shall be governed by Italian law. The Parties hereby agree that any disputes related to these Conditions shall refer to Italian jurisdiction to the exclusion of all others.

12.2 The exclusive place of jurisdiction shall be the registered offices of Dura Lamp Srl, with the express exclusion of any other competing places of jurisdiction.



DURA LAMP S.r.l.
Registered office Via Pratese, 164 – 50145 Firenze
Tel. 055 894 881
e-mail: duralamp@duralamp.it

Registered with the Florence Company Register -
C.F. and VAT number 03312240488
Registered with R.E.A. of Florence at n. 353287 Share capital € 400,000.00 i.v.
Subject to the management and coordination of 3F FILIPPI Srl



A complete list of the Dura Lamp distribution
and project network is available at:

www.duralamp.com

DURALAMP | UNICO Catalogue 24/25

© Copyright 2024 - Dura Lamp S.r.l.

All data and pictured provided in this catalogue are for reference only: since they might change during mass production, they have to be considered nominal values with tolerances. Dura Lamp reserves the right to modify its products in any moment, for technical or commercial reasons.

Photos: Ivan Rossi - Studio Artale - Studio Ceccanti - Alessandro Maurelli - Luca Visentini

Graphic project: Lorenzetti Communication and FD Graphic Studio

Indoor or outdoor setting photos are used to illustrate the possible applications of the product.



duralamp.com