



## TRIPHOSPHOR CIRCULAR DOUBLE PACK 32W/40W

### Typology

Circular fluorescent lamps in a set of two pieces of different wattage.

### Features

The best fluorescent and triphosphorous powders for maximum light colour control and light emission over time, good colour rendering and the excellent luminous efficiency.

A wide reliable range for installation in professional contexts such and home environments.



### Characteristic data

Power	32 W	Dimmable	Yes	Base	G10q	IP	20
Tc	6500 K	Ra	>80				

### Lighting and photometric features

CCT nominal colour temperature	6500 K
Colour of the light	Cool light
Colour rendering index	>80
Lifespan	10000 h
Mercury	3,5 mg
Luminous Flux Maintenance at 2000h	88
Luminous Flux Maintenance at 4000h	85
Luminous Flux Maintenance at 6000h	80
Luminous Flux Maintenance at 8000h	75
Luminous Flux Maintenance at 12000h	72
Luminous Flux Maintenance at 16000h	70
Lamp survival factor at 2000h	100
Lamp survival factor at 4000h	100
Lamp survival factor at 6000h	95
Lamp survival factor at 8000h	80
Lamp survival factor at 10000h	50
Lamp survival factor at 12000h	45

## Electrical characteristics

Rated power	32 W
Dimmable	Yes
Energy efficiency class	G
Operating temperature	-15°C / +35°C
Operating position	360°

## European Directives

2009/125/EC \* Ecodesign  
 2011/65/EU \* RoHS  
 2012/19/EU \* RAEE  
 2014/30/EU \* EMC  
 2014/35/EU \* LVD  
 2015/863 \* Amending RoHS  
 2017/1369 \* Regulation for Energy Labelling  
 2019/2015 \* Regulation for Energy Labelling  
 2019/2020 \* Regulation for Ecodesign  
 2021/340 \* Amending Reg. Energy Labelling  
 2021/341 \* Amending Reg. Ecodesign

## Product standards

CEI EN 55015:2020 (+A11:2020)  
 CEI EN 61199:2012 (+A1:2014/+A2:2015)  
 CEI EN 61000-3-2:2019 (+A1:2021)  
 CEI EN 61000-3-3:2014 (+EC1:2014/+EC2:2016/+A1:2021/+A2:2022)  
 CEI EN 61547:2010

## Logistics data

Item net weight	410 gr
Barcode single item	8011905993252
Number of pieces multiple pack	12
Minimum order quantity	12
Minimum packaging	12 / 12