

## ECO LIFE CLASSIC



220-240  
Vac

Ra >80



10000 h  
L65

IP20

E27


-15°C  
+35°C



### Characteristic data

Power	21 W	Beam	320°	Dimmable	No	Input	220-240 Vac
Base	E27	IP	20	Flux	1230 lm	PF	0,55
Tc	2700 K	Ra	>80				

### Dimensional characteristics



Ø	50 mm
H	163 mm


## Lighting and photometric features

Beam opening	320°
Flux	1230 lm
CCT nominal colour temperature	2700 K
Colour of the light	Homelight
Colour rendering index	>80
Lifespan	10000 h
LED lifespan	L65
Trigger time	<=0.3 s
Heating time up to 60% of full efficiency	<30s
Mercury	<3,5 mg

## Electrical characteristics

Rated power	21 W
Input voltage	220-240 Vac
Frequency	50 Hz
Dimmable	No
Power factor (PF)	0,55
Weighted energy consumption	21 kWh/1000h
Number of cycles	10000
Operating temperature	-15°C / +35°C
Equivalence with incandescent lamp	84

## Spectrometry



## Standards and Directives

2009/125/EC * Ecodesign	
244/2009 * Regulation for Ecodesign	CEI EN 55015:2014 (+A1:2016)
859/2009 * Regulation for Ecodesign	CEI EN 60968:2016
1194/2012 * Regulation for Ecodesign	CEI EN 61000-3-2:2015
2015/1428 * Regulation for Ecodesign	CEI EN 61000-3-3:2014 (+EC:2014/+EC:2016)
2010/30/EU * Energy Labelling	CEI EN 61547:2010
874/2012 * Regulation for Energy Labelling	CEI EN 62031:2009 (+A1/A2:2015)
2011/65/EU * RoHS	CEI EN 62471:2010
2012/19/EU * RAEE	IEC/TR 62471-2:2009
2014/30/EU * EMC (Compatibilità Elettromagnetica)	CEI EN 62560:2013 (+A1:2016)
2014/35/EU * LVD (Bassa Tensione)	CEI 34-141:2014

Logistics data

Item net weight	96 gr
Barcode single item	8011905831752
Number of pieces multiple pack	10
Barcode multiple pack	8011905777036