

DURA

LAMP

DURABLE



LUMINOUS FITTINGS





Luminous Fittings

Fixtures for retrofit lamp



6 **PLUS**
DURABLE - TRACK
SPOT FOR GU10



8 **BASIC**
TRACK SPOT FOR
REPLACEABLE
LAMP



10 **PLUS**
DURABLE TRACK
SUSPENSION FOR
GU10



12 **PLUS**
DURABLE PENDANT
FOR GU10



14 **PLUS**
SUSPENSION
CABLE E27



16 **PLUS**
CATENARIA E27



18 **BASIC**
CATENARIA IN
SERIES VERSION



20 **PLUS**
DURABLE WALL
LAMP TONDO IP44



22 **PLUS**
DURABLE WALL
LAMP BRICK IP44



24 **BASIC**
DURABLE BLACK
DOWNLIGHT



28 **BASIC**
DURABLE
ADJUSTABLE
DOWNLIGHT



30 **BASIC**
RECESSABLE RING
WITH OPTIONAL
OPTICS



32
ZK RECESSABLE
RINGS: FIXED IP65



34 **BASIC**
ZK RECESSABLE
RINGS: ORIENTABLE
IP20



36 **BASIC**
ZK RECESSABLE
RING: IP20 FIXED



38 **PLUS**
DURABLE
INGROUND WALK-
ON IP67

Fixtures for replaceable lamp

Choose the most suitable lamp, change it when necessary, vary the beam angle as required...

Appliques

PLUS DURABLE WALL ROUND

PLUS DURABLE WALL BRICK

DOUBLE EMISSION FOR THESE IP44 WALL LIGHTS

Decorative luminaires with pure lines, to be used with GU10 lamps, available in two colours, it fits all settings, modern or classic.




Suspensions

PLUS DURABLE SUSPENSION FOR GU10 LAMP

BASIC SUSPENSION FOR E27 LAMP

BASIC CATENARIA



Elegant pendants for residential and restaurants
And Catenaria for parties and special occasions!

Walk-on

PLUS An easy-to-use luminaire, for the new GU10 Long Life 50,000 hours or any PAR16 in the range, with no need for drivers.



Downlights

BASIC DURABLE RECESSED DOWNLIGHT BLACK

BASIC DURABLE MULTI-OPTIC RECESSED FIXTURE

BASIC DURABLE ZKRR WITH OPTIONAL OPTICS

PLUS ZK - RECESSED RINGS: FIXED IP65

BASIC ZK - RECESSED RINGS: FIXED OR ORIENTABLE IP20



Tracklight

PLUS DURABLE TRACK FOR GU10 LAMP

BASIC DURABLE TRACK FOR E27 LAMP

PLUS DURABLE SUSPENSION FOR GU10 LAMP



The advantage of easy lamp replacement without the need for technical intervention: much appreciated in retail shops as it allows for significant maintenance savings.

Visit the site **duralamp.com** to stay updated on all the news and on the evolution of our products!



Fixtures for retrofit lamp

DURABLE - TRACK SPOT FOR GU10



DURASMART 36°



MULTI GU10: 38° - 50°



MULTI 100: 100°



XSPOT: 10° 



MULTI SPOT 



Fixtures for retrofit lamp

DURABLE - TRACK SPOT FOR GU10

TYOPOLOGY

Professional LED projectors for track mounting with GU10 lampholder.

FEATURES

Can be used with Eurostandard Plus tracks as well as with other brands: Staff, Nordlux, Nordic, Global, etc.

INSTALLATION

Mounting on 3 phases electrical tracks; fixtures equipped with a safety lock to fix to the tracks.

MATERIAL

Die-cast painted aluminium body.


BEAM

Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

NOTES

The luminaire does not include the lamp: choose the most suitable lamp from our range.

For professional use we suggest items 28530LL/28540LL.




PLUS	220-240 Vac	IP20	-15°C +35°C		
-------------	----------------	------	----------------	---	---

			L	H			ART.
■	GU10	60	110	170	288	1 / 20	DBTR160-B
□	GU10	60	110	170	288	1 / 20	DBTR160-W

Fixtures for retrofit lamp

TRACK SPOT FOR REPLACEABLE LAMP



CAN BE USED WITH PAR38 L868W, L868; REFLECTLED: L758WB, L915WB: A60: DA6020W.



Fixtures for retrofit lamp

TRACK SPOT FOR REPLACEABLE LAMP

TYOLOGY

Adjustable fitting complete with adaptor for track mounting and E27 lampholder.

FEATURES

Satisfies the needs of those who prefer a track-mounted luminaire for replaceable lamps.

Can be used with Eurostandard Plus tracks as well as with other brands: Staff, Nordlux, Nordic, Global, Nuco etc.

Adjustable from +90° to -90° on the vertical plane and 350° on the horizontal plane.


Suitable for PAR38 lamps: see the list of lamps that can be fitted. Max 30 W.

INSTALLATION

Mounting on 3 phases electrical tracks; fixtures equipped with a safety lock to fix to the tracks.

MATERIAL

Die-cast painted aluminium body, white colour; steel adjustable arm.




BASIC		IP20	-25°C +35°C
--------------	--	------	----------------

TRACK MOUNTING PROJECTOR FOR REPLACEABLE LAMP

						
<input type="checkbox"/>	E27	108	127	290	1 / 1	SP01-W

ADAPTER FOR SURFACE INSTALLATIONS



					
<input checked="" type="checkbox"/>	Adapter for surface installations	100	32	1 / 1	B60220
<input type="checkbox"/>	Adapter for surface installations	100	32	1 / 1	B60221

Fixtures for retrofit lamp

DURABLE TRACK SUSPENSION FOR GU10



DURASMART 36°



MULTI GU10: 38° - 50°



MULTI 100: 100°



XSPOT: 10° 



MULTI SPOT 



Fixtures for retrofit lamp

DURABLE TRACK SUSPENSION FOR GU10

TPOLOGY

Pendant luminaire for direct lighting, for replaceable lamp with GU10 socket.
Complete with rail adapter.

FEATURES

Minimal, simple design and precise finishing.
Available in different size and colours.

MATERIAL


Die-cast painted aluminium body.

BEAM

Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

NOTES

Cable lenght 1,5 m.
The luminaire does not include the lamp: choose the most suitable lamp from our range.
For professional use we suggest items 28530LL/28540LL.




PLUS	220-240 Vac	IP20	-15°C +35°C		
-------------	----------------	------	----------------	---	---

			H			ART.
	GU10	60	150	313	1 / 20	DBSP215-W
	GU10	60	150	313	1 / 20	DBSP215-B
	GU10	60	300	380	1 / 20	DBSP230-W
	GU10	60	300	380	1 / 20	DBSP230-B

Fixtures for retrofit lamp

DURABLE PENDANT FOR GU10



DURASMART 36°



MULTI GU10: 38° - 50°



MULTI 100: 100°



XSPOT: 10° 



MULTI SPOT 



Fixtures for retrofit lamp

DURABLE PENDANT FOR GU10

TPOLOGY

Pendant luminaire for direct lighting, for replaceable lamp with GU10 socket.

Round rosette for ceiling installation.

FEATURES

Minimal, simple design and precise finishing.

Available in different size and colours.

MATERIAL

Die-cast painted aluminium body.

BEAM


Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

NOTES

Cable lenght 1,5 m.

The luminaire does not include the lamp: choose the most suitable lamp from our range.


For professional use we suggest items 28530LL/28540LL.



PLUS	220-240 Vac	IP20	-15°C +35°C		
-------------	----------------	------	----------------	---	---

						ART.
	GU10	60	150	313	1 / 20	DBSP115-B
	GU10	60	150	313	1 / 20	DBSP115-W
	GU10	60	300	380	1 / 20	DBSP130-B
	GU10	60	300	380	1 / 20	DBSP130-W

Fixtures for retrofit lamp
SUSPENSION CABLE E27



Fixtures for retrofit lamp **SUSPENSION CABLE E27**

TPOLOGY

Diverse materials suspension wires with E27 lamp holder and ceiling cup.

FEATURES


Minimal, simple design and precise finishing.

MATERIAL

Silicone for white and black versions; metal for other models.

NOTES

Cable lenght 2 m.




PLUS 220-240 Vac IP20 

SUSPENSION CABLES WITH E27 LAMP HOLDER AND CEILING CUP

						
	30	E27	85	2000	1 / 10	TN-E27N
	30	E27	85	2000	1 / 10	TN-E27B
	30	E27	100	2000	1 / 10	TN-E27CR
	30	E27	100	2000	1 / 10	TN-E27CU
	30	E27	100	2000	1 / 10	TN-E27OT

Fixtures for retrofit lamp
CATENARIA E27



24 

16 M



Fixtures for retrofit lamp

CATENARIA E27

TPOLOGY

Long run conductive cable with 24 factory attached lamp holders.
Cable type: H05RR-F 300/500 V.

FEATURES


Lampholders are fitted with IP44 protection rings.
Catenaria is suitable for non-permanent outdoor installations.
Also available with E26 base for 120V with MOQ of 100 pieces.

APPLICATIONS

Widely used for festoons indoor and outdoor garden lighting decoration, patio umbrella lighting, etc.
Suggested lamps: PING BALL, color GLS or Stargazer lamp.

NOTES

Factory prepped outdoor IP44 Schuko socket for Europe, US plug or end prep wiring options for the USA.
Cannot be connected in series.




PLUS	220-240 Vac	IP44	-25°C +35°C		
-------------	----------------	------	----------------	---	---

CATENARIA E27 - 24 LAMPHOLDERS

							
■	25	670	E27	24	16000	1 / 4	CLE2724

Fixtures for retrofit lamp

CATENARIA IN SERIES VERSION



15 M



15 M

Fixtures for retrofit lamp

CATENARIA IN SERIES VERSION

TPOLOGY

Long run conductive cable with 15 factory attached lamp holders.
Cable type: H05RR-F 300/500 V.

FEATURES

Two different models: with lamp holder on the cable or with pendant.

Lampholders are fitted with IP44 protection rings.

Catenaria is suitable for non-permanent outdoor installations.

This version can be linked in series (daisy chain connection).

INSTALLATION

Catenaria with 15 lamp holders can be connected consecutively up to a maximum length of 45 metres.

APPLICATIONS

Widely used for festoons indoor and outdoor garden lighting decoration, patio umbrella lighting, etc.



Suggested lamps: PING BALL, color GLS or Stargazer lamp.

Also available in white colour, perfect for reception areas, weddings, etc..

NOTES

Only Catenaria with 15 lamp holders can be connected in serie with the IP44 Schuko plug and socket on the sides.

Both are IP44.



CATENARIA IN SERIES VERSION - PENDANT


							
■	25	370	E27	15	15000	1 / 4	CLE2715
□	25	370	E27	15	15000	1 / 4	CLE2715-WH

CATENARIA IN SERIES VERSION

							
■	25	370	E27	15	15000	1 / 4	CLE2715-S
□	25	370	E27	15	15000	1 / 4	CLE2715-SWH

Fixtures for retrofit lamp

DURABLE WALL LAMP TONDO IP44



DURASMART 36°



MULTI GU10: 38° - 50°



MULTI 100: 100°



XSPOT: 10°



MULTI SPOT



Fixtures for retrofit lamp

DURABLE WALL LAMP TONDO IP44

TPOLOGY

Double emission wall light for replaceable lamp with GU10 socket.

FEATURES

The design of the fixture sees the positioning of the lamp a few centimetres from the wall allowing the cone of light to develop on the wall in a harmonious way, without excessive glare.

INSTALLATION

By means of the rear bracket.

MATERIAL

Aluminium body with epoxy coating; glass diffusers.


BEAM

Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

NOTES

The luminaire does not include the lamp: choose the most suitable lamp from our range.

For professional use we suggest items 28530LL/28540LL.




PLUS	220-240 Vac	IP44	-15°C +35°C	
-------------	----------------	------	----------------	---

							
■	GU10	67	93	152	489	1 / 20	DBAT100-B
□	GU10	67	93	152	489	1 / 20	DBAT100-W

Fixtures for retrofit lamp

DURABLE WALL LAMP BRICK IP44



DURASMART 36°



MULTI GU10: 38° - 50°



MULTI 100: 100°



XSPOT: 10°



MULTI SPOT



Fixtures for retrofit lamp

DURABLE WALL LAMP BRICK IP44

TPOLOGY

Double emission wall light for replaceable lamp with GU10 socket.

FEATURES

The design of the fixture sees the positioning of the lamp a few centimetres from the wall allowing the cone of light to develop on the wall in a harmonious way, without excessive glare.

INSTALLATION

By means of the rear bracket.

MATERIAL

Aluminium body with epoxy coating; glass diffusers.


BEAM

Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

NOTES

The luminaire does not include the lamp: choose the most suitable lamp from our range.

For professional use we suggest items 28530LL/28540LL.




PLUS	220-240 Vac	IP44	-15°C +35°C	G3
-------------	-------------	------	----------------	----

		L	L1	H			ART.
■	GU10	67	95	152	520	1 / 20	DBAQ100-B
□	GU10	67	95	152	520	1 / 20	DBAQ100-W


Fixtures for retrofit lamp

DURABLE BLACK DOWNLIGHT

OPTIONAL GLOSSY METALIC REFLECTOR, EASY REPLACEMENT



BLACK REFLECTOR



BLACK REFLECTOR



OPTIONAL GLOSSY METALIC REFLECTOR, EASY REPLACEMENT

DURASMART 36°



MULTI GU10: 38° - 50°



MULTI 100: 100°



XSPOT: 10°



MULTI SPOT



Fixtures for retrofit lamp

DURABLE BLACK DOWNLIGHT

TPOLOGY

Adjustable, square and round recessed luminaire with shiny black reflector and GU10 lamp socket.

Can be modified with the optional glossy metallic reflector.

FEATURES

Recessed downlight with a cuthole size similar to the old fittings for halogen lamps are widely used in retail installations.

In addition to meeting the needs of those who prefer a recessed luminaire for replaceable lamps, DURABLE NERO offers the possibility of obtaining two different atmospheres just by changing the reflector.

Houses PAR16 lamps; compatible with all GU10 lamps in the Duralamp catalogue.

Max 10 W.

INSTALLATION

Recessed with the special galvanised aluminium springs.

Complete with GU10 lamp holder and terminal block to connect to mains.

MATERIAL


White painted metal body.

Polycarbonate reflector.

NOTES

The luminaire does not include the lamp: choose the most suitable lamp from our range.

For professional use we suggest items 28530LL/28540LL.



DURABLE BLACK DOWNLIGHT FOR GU10 - SQUARE

							
□	GU10	75x75	90	90	52	1 / 1	DBDQ100-A

DURABLE BLACK DOWNLIGHT FOR GU10 - ROUND

						
□	GU10	75	90	52	1 / 1	DBDT100-A

REFLECTOR FOR ROUND DURABLE RECESSED FITTING



				
Reflector for round DURABLE recessed fitting	70	23	5 / 5	KTDB-RT-S

Optional reflector for Durable Recessed fitting - Round.
Glossy metallic finishing.

Accessories

DURABLE BLACK DOWNLIGHT

REFLECTOR FOR DURABLE SQUARE RECESSED FITTING



	L	L1	H		ART.
Reflector for DURABLE square recessed fitting	70	70	25	5 / 5	KTDB-RQ-S

Optional polycarbonate reflector for Durable Recessed fitting – Square. Glossy metallic finishing.



'FESTIVE' LAMPS

Nothing creates an air of festivity like small points of light hung everywhere!

Before a party, any party, stock up on Coloured Lamps, Ping balls, Stargazers or DuraSmart sphere lamps.

see more projects



Fixtures for retrofit lamp

DURABLE ADJUSTABLE DOWNLIGHT


Silver colour frame and rings.

ZKR2-ST



Silver colour frame and black rings.

ZKR2-STB



The front ring
locks the lamp



ZKR1-STB

Silver colour frame and black ring.



ZKR1-ST

Silver colour frame and rings.

Fixtures for retrofit lamp

DURABLE ADJUSTABLE DOWNLIGHT

TPOLOGY

Adjustable recessed fixture for lamps with GU10 socket.

FEATURES

Widely used in retail installations, it meets the needs of those who prefer a recessed ceiling luminaire with replaceable lamps. It offers the advantage of having both multidirectional and adjustable light beams from + 15 ° to -15 ° in the vertical plane. Houses PAR16 lamps; compatible with all GU10 lamps in the Duralamp catalogue.
Max 15 W.

INSTALLATION


Recessed with the special galvanised aluminium springs. Complete with GU10 lamp holder.

MATERIAL

Body in black painted aluminium with silver colour frame.

NOTES

The luminaire does not include the lamp: choose the most suitable lamp from our range. For professional use we suggest items 28530LL/28540LL.



BASIC	220-240 Vac	IP20 VI IP23 VO	-25°C +45°C		
--------------	----------------	--------------------	----------------	---	---

DURABLE MULTI-OPTIC RECESSED FIXTURE

							
	GU10	95x190	107	202	110	1 / 10	ZKR2-ST
	GU10	95x190	107	202	110	1 / 10	ZKR2-STB



DURABLE SINGLE-OPTIC RECESSED FIXTURE

							
	GU10	95x95	110	110	125	1 / 20	ZKR1-ST
	GU10	95x95	110	110	125	1 / 20	ZKR1-STB

Fixtures for retrofit lamp

RECESSABLE RING WITH OPTIONAL OPTICS

THE POSSIBILITY TO EASILY CHANGE THE BEAM USING THE BEAM SHAPERS, ALLOWS TO OBTAIN DIFFERENT EFFECTS WITH THE SAME FIXTURE: IDEAL IN RETAIL SPACES.



THE ZKRR RING MOUNTS THE LAMP IN A RECESSED POSITION OF 4 CM.

TO BE COMPLETED WITH GU10 OR GU5.3 LAMPHOLDER



Fixtures for retrofit lamp

RECESSABLE RING WITH OPTIONAL OPTICS

TPOLOGY

Recessed ring for MR16/PAR16 lamps, adjustable with 4 beam options: different effects with the same luminaire, ideal in retail spaces.

The ZKRR ring mounts the lamp in a recessed position of 4 cm.

FEATURES

The recessed ring allows an orientation of the source of 20°. Can be fitted (snap on) with metal optics that can modify the lighting output by offering accent or antiglare solutions.


INSTALLATION

Equipped with springs for quick installation.

To be completed with TO53 or TO10 lampholders.

MATERIAL

Body and optics in painted metal body.



ZKRR RECESSABLE RING: ADJUSTABLE AND WITH OPTIONAL OPTICS



						ART.
	78	90	53	1 / 10		ZKRR

BEAM SHAPER FOR ZKRR

							ART.
Spot effect beam shaper	90	68.5	53	36.7	1 / 10	1	ZK001
Inserted into the ZKRR ring to change the light beam.							
							ART.
Wide beam shaper	90	68.5	53	36.7	1 / 10	2	ZK002
Inserted into the ZKRR ring to change the light beam.							
							ART.
Side beam shaper	90	68.5	53	36.7	1 / 10	3	ZK003
Inserted into the ZKRR ring to change the light beam.							
							ART.
Wall washer	90	68.5	53	36.7	1 / 10	4	ZK004
Inserted into the ZKRR ring to change the light beam.							

Fixtures for retrofit lamp

ZK RECESSABLE RINGS: FIXED IP65



IP65



IP65



TO BE COMPLETED WITH GU10 OR GU5.3
LAMPHOLDER



Fixtures for retrofit lamp

ZK RECESSABLE RINGS: FIXED IP65

TPOLOGY

Ring for recessed installation of MR16/PAR16 lamps.
Fixed IP65 version.

FEATURES

The same ring declined in two versions to fulfill different installation needs in the same environments.

Ring for recessed installation of MR16 / PAR16 lamps complete with front screen.


INSTALLATION

Equipped with springs for quick installation.

To be completed with TO53 or TO10 lampholders.

MATERIAL

Painted metal body.



ZK RECESSABLE RINGS FIXED IP65 - ROUND

					
	72	90	33	1 / 10	ZKR65TB
	72	90	33	1 / 10	ZKR65TG



ZK RECESSABLE RINGS FIXED IP65 - SQUARE

						
	72	90	90	33	1 / 10	ZKR65QB
	72	90	90	33	1 / 10	ZKR65QG

KIT LAMPHOLDER




		
GU5,3 kit lampholder	4 / 4	T053
GU5,3 kit lampholder + terminal block.		




		
GU10 kit lampholder	4 / 4	T010
GU10 kit lampholder + terminal block.		

Fixtures for retrofit lamp


ZK RECESSABLE RINGS: ORIENTABLE IP20




Adjustable 30° IP20



Adjustable 30° IP20



TO BE COMPLETED WITH GU10 OR GU5.3
LAMPHOLDER



Fixtures for retrofit lamp

ZK RECESSABLE RINGS: ORIENTABLE IP20

TPOLOGY

Ring for recessed installation of MR16/PAR16 lamps.
IP20 swivel version.

FEATURES


The same ring declined in two versions to fulfill different installation needs in the same environments.
Complete with front screen.

INSTALLATION

Equipped with springs for quick installation.
To be completed with T053 or T010 lampholders.

MATERIAL

Painted metal body.



ZK RECESSABLE RINGS: ORIENTABLE IP20 - ROUND

			H		ART.
	72	90	33	1 / 10	ZKRTB
	72	90	33	1 / 10	ZKRTG

ZK RECESSABLE RINGS: ORIENTABLE IP20 - SQUARE

		L	L1	H		ART.
	72	90	90	33	1 / 10	ZKRQB
	72	90	90	33	1 / 10	ZKRQG

KIT LAMPHOLDER




		ART.
GU5,3 kit lampholder	4 / 4	T053
GU5,3 kit lampholder + terminal block.		



		ART.
GU10 kit lampholder	4 / 4	T010
GU10 kit lampholder + terminal block.		

Fixtures for retrofit lamp

ZK RECESSABLE RING: IP20 FIXED



Fixtures for retrofit lamp

ZK RECESSABLE RING: IP20 FIXED

TPOLOGY

Ring for recessed installation of MR16/PAR16 lamps.

FEATURES

The spring type lamp holder allows this recessed mounting ring to be used with any type of lamp fitted with a front closure.


INSTALLATION

Equipped with springs for quick installation.

To be completed with the wired lampholders code T053 and T010.

MATERIAL

White painted metal body.



BASIC -25°C
+35°C 

						
	65	78	51	26	1 / 10	ZKRTB2

KIT LAMPHOLDER



GU5,3 kit lampholder		
	4 / 4	T053

GU5,3 kit lampholder + terminal block.




GU10 kit lampholder		
	4 / 4	T010

GU10 kit lampholder + terminal block.

Fixtures for retrofit lamp

DURABLE INGROUND WALK-ON IP67



DURASMART 36°

MULTI GU10: 38° - 50°

MULTI 100: 100°

XSPOT: 10°

MULTI SPOT



Fixtures for retrofit lamp

DURABLE INGROUND WALK-ON IP67

TPOLOGY

Walk-on fixture for inground installation complete with GU10 lampholder, IP67.

FEATURES

Complete with steel outer ring and screws, clear glass.

MATERIAL

Metal body, brushed steel ring, shockproof IK10 glass screen; plastic sleeve.


BEAM

Can be used with all GU10 lamps in the catalogue: select the desired power and beam opening.

NOTES

The luminaire does not include the lamp: choose the most suitable lamp from our range.

For professional use we suggest items 28530LL/28540LL.



PLUS	220-240 Vac	IP67	-15°C +35°C	
-------------	----------------	------	----------------	---

					
GU10	110	125	460	1 / 20	DBIN100-0



B60220	9	T010	35
B60221	9	T010	37
CLE2715	19	T053	33
CLE2715-S	19	T053	35
CLE2715-SWH	19	T053	37
CLE2715-WH	19	TN-E27B	15
CLE2724	17	TN-E27CR	15
DBAQ100-B	23	TN-E27CU	15
DBAQ100-W	23	TN-E27N	15
DBAT100-B	21	TN-E27OT	15
DBAT100-W	21	ZK001	31
DBDQ100-A	25	ZK002	31
DBDT100-A	25	ZK003	31
DBIN100-0	39	ZK004	31
DBSP115-B	13	ZKR1-ST	29
DBSP115-W	13	ZKR1-STB	29
DBSP130-B	13	ZKR2-ST	29
DBSP130-W	13	ZKR2-STB	29
DBSP215-B	11	ZKR65QB	33
DBSP215-W	11	ZKR65QG	33
DBSP230-B	11	ZKR65TB	33
DBSP230-W	11	ZKR65TG	33
DBTR160-B	7	ZKRQB	35
DBTR160-W	7	ZKRQG	35
KTDB-RQ-S	26	ZKRR	31
KTDB-RT-S	25	ZKRTB	35
SP01-W	9	ZKRTB2	37
T010	33	ZKRTG	35



1. Applicability

1.1 These general conditions (hereafter the "Conditions") constitute an integral and essential part of the contract of sale between the Parties. The Conditions shall regulate all legal relationships between Dura Lamp Srl (hereafter "Dura Lamp") and the purchaser (hereafter the "Purchaser") where the said relationships are not disciplined by the applicable terms of the Italian Civil Code (C.C.). The nullity of any of the terms of these Conditions shall not prejudice the validity of the remaining Conditions or the Contract.

1.2 Any changes to these Conditions shall be agreed between the Parties in writing, with the exception of the provisions set down in article 1341 of the Italian C.C..

2. Sales

2.1 Sale requests for the products (hereafter the "Products") shall be accepted 'subject to the seller's approval' and shall be considered to be irrevocable in accordance with and as an effect of article 1329 of the C.C. for a period of 1 (one) month from the date of the order requesting execution without prior acknowledgement, pursuant to and as an effect of article 1327 of the C.C. from the date on which the order is received by Dura Lamp.

2.2 The Products detailed in the individual orders and the relevant accessories shall be supplied to the Purchaser by Dura Lamp with "Retention of Title" pursuant to and as an effect of articles 1523-1526 of the Italian C.C. In this case, the transfer of ownership of the Products to the Purchaser shall take place exclusively upon the full payment of the price agreed, whilst any risks shall be the responsibility of the Purchaser from the moment of delivery of the Products.

2.3 Whilst confirming the terms stated above, the Parties hereby agree that should the Products and relevant accessories be destroyed for causes not attributable to Dura Lamp, the Purchaser shall not be released from the obligation to pay for the same, even where the Products have not yet been delivered.

3. Prices

3.1 The prices detailed on the price list shall be applied to Product sales orders. The aforementioned prices shall be unit prices per single item, except where stated otherwise for certain Products. The Parties shall have the right to agree, in writing, any derogations and/or special conditions of sale.

3.2 Moreover, the Parties hereby agree that the following conditions shall be applied:

- (I) Minimum order: € 300 (three hundred) for Italy - € 750 (seven hundred and fifty) for other countries;
- (II) Delivery free to destination in Italy for orders of € 300 (three hundred) for Italy or more;
- (III) Ex-Works deliveries for other countries.

3.3 The prices given above do not include VAT and installation costs.

3.4 The prices provided in this catalogue shall be valid until a new price list is published.

4. Currency

All prices are given in Euros (exclusive of VAT). Invoices shall be drawn up in Euros.

5. Special requests

Products can be supplied to the Purchaser in non-standard colours and with special features. The relevant price, minimum quantities per order, methods and timing of deliveries shall be agreed in each individual case, in relation to the reference order.

6. Transport

6.1 Dura Lamp shall not be liable for any damage and/or losses which may occur during the transportation of the Products, unless the Products are delivered free at destination.

6.2 Dura Lamp shall have the right to establish the method of transportation to be used for the Products, unless the Parties have previously established a method of transport in writing.

6.3 Upon delivery, the Purchaser shall undertake to verify the condition of the products and shall make any complaints directly to the carrier and/or conduct any actions necessary in the event of loss, misplacement, removal or damage, or delays in transportation and/or the methods of delivery of the Products.

7. Complaints

7.1 In the event that the Products are found to have any faults and/or defects, the Purchaser shall undertake to notify Dura Lamp of the same in writing, by means of a registered letter, no later than 8 (eight) days following the discovery of the said faults and/or defects, at the risk of invalidating the obligations of the guarantee provided by Dura Lamp. In this case, the faulty Products, which should be reported within the terms established, should be returned to Dura Lamp, once the Purchaser has received specific permission to do so in writing.

7.2 In the event that the Purchaser's complaints are held to be valid, Dura Lamp, at its complete discretion, may make the necessary repairs and/or replace the Products, excluding the attribution of any further charges, obligations, indemnification or compensation to the same. The Products in question should be returned to the Dura Lamp Srl plant in Via Pratese 164, 50145, Firenze, Italy. In the event that, following an inspection by Dura Lamp, the Products returned by the Purchaser are not found to be faulty and/or defective, Dura Lamp shall return the Products to the Purchaser, charging the same an amount equal to 15% (fifteen percent) of the value of the said Products.

8. Delivery

8.1 The Parties hereby agree that the terms established for the delivery of the Products shall not be considered absolute or essential and that, in any case, each item shall be exclusively in favor of Dura Lamp, unless otherwise agreed in writing between the Parties.

8.2 In the event of delayed delivery, once 15 (fifteen) days have passed since the agreed date, the Purchaser may send Dura Lamp written warning to complete the delivery within a further term of no more than 15 (fifteen) days from receipt of the same. In the event that Dura Lamp has not completed the delivery within this further term the Purchaser may withdraw from the order with regard to the Products that have not yet been delivered. In this case the Purchaser shall only be obliged to pay Dura Lamp for the Products actually delivered, excluding the payment of any further indemnification and/or compensation to the Purchaser.

8.3 Dura Lamp shall not be responsible for any other breaches, including the failure to deliver or delayed delivery of the Products, caused by events outside its reasonable control such as, purely by way of an example and not limited to the same: the failure to deliver or delayed delivery of manufacturing materials by Dura Lamp's suppliers, equipment breakdowns, strikes and other trade union action, electricity blackouts, suspension of or difficulties with transportation.

9. Payment

9.1 The price due shall be paid by the Purchaser according to the conditions and modalities set down in the order and, in any case, by means of payments made exclusively to "DURA LAMP Srl".

9.2 Dura Lamp shall only recognize the validity of the payments when the same are made in compliance with the provisions of article 9.1 above. This means that amounts paid using any other method shall not be considered to be a payment in discharge of the Purchaser's obligations. The eventual acceptance by Dura Lamp of a bank draft or other trade bill shall only occur with the application of the proviso "under usual reserve".

9.3 In the event of delayed payment with respect to the terms agreed, the Parties hereby agree that bank interest shall be due to Dura Lamp at the current PRIME RATE increased by 3 points. interest shall be applied as of right, with no obligation for Dura Lamp to send the Purchaser a formal notice to pay.

9.4 Moreover, in the event of a delay in payment of more than 15 (fifteen) days, Dura Lamp shall have the right to terminate the order as of right pursuant to article 1456 C.C., sending written notification of the same, barring compensation for any damage.

9.5 In the event that the Parties have agreed upon a method of payment by instalments for the Products, the failure to pay several instalments or just one instalment exceeding one eighth of the overall price of the Products, shall result in the loss of the Purchaser's right to pay in instalments and shall give Dura Lamp the right to request the remaining balance of the price or, alternatively, at its own discretion, to terminate the contract with immediate return of the Products and the acquisition of the instalments paid, as indemnification, barring the right to compensation for any damage sustained.

10. Guarantee

10.1 The Products provided by Dura Lamp shall be guaranteed for a period of 12 (twelve) months from the date of delivery against any manufacturing or material defects and/or faults and against any breakdowns not attributable to the Purchaser. Dura Lamp's only obligation and the Purchaser's right with regard to claims related to the guarantee shall be limited, as decided by Dura Lamp, to the replacement or repair of the defective or non-compliant product or the reimbursement of the price for the purchase of another product. Dura Lamp shall be granted a reasonable amount of time to repair or replace the product, or to make the previously authorized reimbursement. Any defective or non-compliant Products shall become the property of Dura Lamp as soon as they have been replaced or reimbursed.

10.2 The guarantee shall exclude any failures due to circumstances beyond the control of Dura Lamp (lightning, flooding, etc.), as well as any damage caused by the improper use of the Products and/or relevant accessories. Notwithstanding the above, Dura Lamp shall not be bound by the guarantee if the contested defects or non-compliances have occurred as a result of submitting the Products to resistance or environmental tests, the incorrect use of the same, or in the event that the use of or conditions of use of the Products is different from that indicated in the instructions and technical information, as a result of negligence, incorrect installation or accident, or if they derive from improper repairs, alterations, modifications, storage or transportation or by incorrect handling.

10.3 The Purchaser shall send the Products returned in accordance with the terms of the guarantee to the place indicated by Dura Lamp in compliance with the Dura Lamp policy regarding authorization to return materials in force at the time. In the event that the Products returned are found to be compliant or not faulty, the Purchaser shall pay the cost of returning the same as well as the cost of insuring, inspecting and handling the Products.

10.4 LED products Enjoy specific guarantees: details are published on www.duralamp.com

11. Limitation of Liability

11.1 With the sole exclusion of criminal intent and gross negligence, Dura Lamp shall not be liable for loss of profits or savings, loss of reputation or goodwill, any direct, indirect, consequential or special damage that may derive from or be connected to the contract or sale of products or services by Dura Lamp or by the use of the same of a contractual or extra-contractual nature or deriving from any other source, even where Dura Lamp has been notified of or is aware of the possibility of such damage.

11.2 The limitations and exclusions stated in article 11 shall apply within the limits permitted by law.

12. Applicable law and place of jurisdiction

12.1 These Conditions and all the effects of the same shall be governed by Italian law. The Parties hereby agree that any disputes related to these Conditions shall refer to Italian jurisdiction to the exclusion of all others.

12.2 The exclusive place of jurisdiction shall be the registered offices of Dura Lamp Srl, with the express exclusion of any other competing places of jurisdiction.



DURA LAMP S.r.l.
Registered office Via Pratese, 164 – 50145 Firenze
Tel. 055 894 881
e-mail: duralamp@duralamp.it

Registered with the Florence Company Register -
C.F. and VAT number 03312240488
Registered with R.E.A. of Florence at n. 353287 Share capital € 400,000.00 i.v.
Subject to the management and coordination of 3F FILIPPI Srl



A complete list of the Dura Lamp distribution
and project network is available at:

www.duralamp.com

DURALAMP | UNICO Catalogue **24/25**

© Copyright 2024 - Dura Lamp S.r.l.

All data and pictured provided in this catalogue are for reference only: since they might change during mass production, they have to be considered nominal values with tolerances. Dura Lamp reserves the right to modify its products in any moment, for technical or commercial reasons.

Photos: Ivan Rossi - Studio Artale - Studio Ceccanti - Alessandro Maurelli - Luca Visentini

Graphic project: Lorenzetti Communication and FD Graphic Studio

Indoor or outdoor setting photos are used to illustrate the possible applications of the product.



duralamp.com