



DFH TRIPHOSPHOR T5

Typology


Compact, circular and linear fluorescent lamps.

Features

The best fluorescent and triphosphorous powders for maximum light colour control and light emission over time, good colour rendering and the excellent luminous efficiency.

A wide reliable range for installation in professional contexts such and home environments.

Lamp not for sale on the European market.



Characteristic data

Power	35 W	Dimmable	Yes	Input	201,8 Vac	Base	G5
IP	20	Flux	3320 lm	Tc	4000 K	Ra	>80

Dimensional characteristics



L	1449 mm
Ø	16 mm


Lighting and photometric features

Flux	3320 lm
CCT nominal colour temperature	4000 K
Colour of the light	Natural light
Colour rendering index	>80
Lifespan	24000 h
Mercury	3 mg
Luminous Flux Maintenance at 2000h	97
Luminous Flux Maintenance at 4000h	95
Luminous Flux Maintenance at 6000h	94
Luminous Flux Maintenance at 8000h	93
Luminous Flux Maintenance at 12000h	91
Luminous Flux Maintenance at 16000h	90
Luminous Flux Maintenance at 20000h	85
Lamp survival factor at 2000h	100
Lamp survival factor at 4000h	100
Lamp survival factor at 6000h	97
Lamp survival factor at 8000h	94
Lamp survival factor at 12000h	92
Lamp survival factor at 16000h	91
Lamp survival factor at 20000h	86

Electrical characteristics

Rated power	35 W
Input voltage	201,8 Vac
Frequency	50 Hz
Dimmable	Yes
Input current	0.188 A
Energy efficiency class	F
Operating temperature	-15°C / +35°C
Operating position	360°

Spectrometry



European Directives

2009/125/EC * Ecodesign
 2011/65/EU * RoHS
 2012/19/EU * RAEE
 2014/30/EU * EMC
 2014/35/EU * LVD
 2015/863 * Amending RoHS
 2017/1369 * Regulation for Energy Labelling
 2019/2015 * Regulation for Energy Labelling
 2019/2020 * Regulation for Ecodesign
 2021/340 * Amending Reg. Energy Labelling
 2021/341 * Amending Reg. Ecodesign

Product standards

CEI EN 55015:2020 (+A11:2020)
 CEI EN 61195:2000 (+A1:2013/+A2:2015)
 CEI EN 61000-3-2:2019 (+A1:2021)
 CEI EN 61000-3-3:2014 (+EC1:2014/+EC2:2016/+A1:2021/+A2:2022)
 CEI EN 61547:2010

Logistics data

Item net weight	132 gr
Barcode single item	8011905322922
Number of pieces multiple pack	25
Barcode multiple pack	8011905748517