



## TRIPHOSPHOR CIRCULAR T9

### Typology

Compact, circular and linear fluorescent lamps.

### Features

The best fluorescent and triphosphorous powders for maximum light colour control and light emission over time, good colour rendering and the excellent luminous efficiency.

A wide reliable range for installation in professional contexts such as home environments.

62,5 Vac

Ra >80




10000 h

IP20

G10q


-15°C  
+35°C



### Characteristic data

Power	22 W	Dimmable	Yes	Input	62,5 Vac	Base	G10q
IP	20	Flux	1360 lm	Tc	6500 K	Ra	>80

### Dimensional characteristics



Ø	208 mm
H	29 mm


## Lighting and photometric features

Flux	1360 lm
CCT nominal colour temperature	6500 K
Colour of the light	Cool light
Colour rendering index	>80
Lifespan	10000 h
Mercury	3,5 mg
Luminous Flux Maintenance at 2000h	88
Luminous Flux Maintenance at 4000h	85
Luminous Flux Maintenance at 6000h	80
Luminous Flux Maintenance at 8000h	75
Luminous Flux Maintenance at 12000h	72
Luminous Flux Maintenance at 16000h	70
Lamp survival factor at 2000h	100
Lamp survival factor at 4000h	100
Lamp survival factor at 6000h	95
Lamp survival factor at 8000h	80
Lamp survival factor at 10000h	50
Lamp survival factor at 12000h	45

## Electrical characteristics

Rated power	22 W
Input voltage	62,5 Vac
Frequency	50 Hz
Dimmable	Yes
Input current	0.35 A
Energy efficiency class	G
Operating temperature	-15°C / +35°C
Operating position	360°

## Spectrometry



## European Directives

2009/125/EC \* Ecodesign  
 2011/65/EU \* RoHS  
 2012/19/EU \* RAEE  
 2014/30/EU \* EMC  
 2014/35/EU \* LVD  
 2015/863 \* Amending RoHS  
 2017/1369 \* Regulation for Energy Labelling  
 2019/2015 \* Regulation for Energy Labelling  
 2019/2020 \* Regulation for Ecodesign  
 2021/340 \* Amending Reg. Energy Labelling  
 2021/341 \* Amending Reg. Ecodesign

## Product standards

CEI EN 55015:2020 (+A11:2020)  
 CEI EN 61199:2012 (+A1:2014/+A2:2015)  
 CEI EN 61000-3-2:2019 (+A1:2021)  
 CEI EN 61000-3-3:2014 (+EC1:2014/+EC2:2016/+A1:2021/+A2:2022)  
 CEI EN 61547:2010

## Logistics data

Item net weight	130 gr
Barcode single item	8011905818159
Number of pieces multiple pack	12
Barcode multiple pack	8011905763015
Minimum order quantity	12
Minimum packaging	12 / 12