

EMERGENCY ELECTRONIC UNIT FOR STANDBY LI-
GHTING




Screws

-25°C
+35°C

Characteristic data

Base	Screws					
------	--------	--	--	--	--	--

Dimensional characteristics



L	155 mm
L1	51 mm
H	26 mm

Electrical characteristics

Output voltage	90 Vdc
Operating temperature	-25°C / +35°C

European Directives

2009/125/EC * Ecodesign
 2011/65/EU * RoHS
 2012/19/EU * RAEE
 2014/30/EU * EMC
 2014/35/EU * LVD
 2015/863 * Amending RoHS
 2017/1369 * Regulation for Energy Labelling
 2019/2015 * Regulation for Energy Labelling
 2019/2020 * Regulation for Ecodesign
 2021/340 * Amending Reg. Energy Labelling
 2021/341 * Amending Reg. Ecodesign

Product standards

CEI EN 55015:2020 (+A11:2020)
 CEI EN 61000-3-2:2019 (+A1:2021)
 CEI EN 61000-3-3:2014 (+EC1:2014/+EC2:2016/+A1:2021/+A2:2022)
 CEI EN 61347-1:2016 (+A1:2021)
 CEI EN 61347-2-13:2015 (+A1:2018)
 CEI EN 61547:2010

Logistics data

Item net weight	470 gr
Barcode single item	8011905933012
Minimum order quantity	1
Minimum packaging	1 / 1